

**KEL-BERG**<sup>®</sup>  
TRAILERS SVERIGE AB

TEL: +46 070-536 3939  
WEB: [www.kelberg.se](http://www.kelberg.se)



**MODEL**  
**T250K**

**KEL-BERG 3-AXLE 30 M<sup>3</sup> HARDOX**  
**TIPPING TRAILER WITH SLIDING AXLE**

# SPECIFICATION FOR T250K

# KEL-BERG 3-AXLE 30 M<sup>3</sup> HARDOX TIPPING TRAILER WITH SLIDING AXLE

## WEIGHTS & DIMENSIONS:

Overall length	11.625 mm / 13.517 mm
Front overhang	500 mm
Coupling height	1.250 mm
King-pin – landing leg	2.800 mm
Width	2.550 mm
Load height	3.150 mm
King-pin – 2nd axle	7.700 mm
Wheelbase	2.000 mm / 1.550 mm / 4.400 mm

## DIMENSIONS OF TIPPING BODY:

Internal length	9.350 mm
Internal width	2.550 mm
Internal height	1.450 mm

Speed	90 km/h
King-pin load	18.000 kg
Rear axle load	30.000 kg
Total weight	48.000 kg
Service weight	11.000 kg

## CHASSIS:

Made with heavy duty main frame, welded steel construction with sliding last axle.



# SPECIFICATION FOR T250K

# KEL-BERG 3-AXLE 30 M<sup>3</sup> HARDOX TIPPING TRAILER WITH SLIDING AXLE

## TIPPING BODY:

8 mm bottom HARDOX HB-450.  
6 mm sides HARDOX HB-450  
Hydraulic hatch at the rear

## AXLES:

3 x 10ton BPW axles with drum brakes  
3rd axle co-tracking - (Lock pin 11)  
1st axle liftable - (pin 10)  
Air suspension with level valve manoeuvrable  
With ABS, EBS

## WHEELS & TYRES:

6 pcs 425/65 R22.5 mounted on steel rim

## BRAKES:

2-circuit compressed air system with EBS and ABS  
Spring brake bells for parking brake  
1 pc duomatic red/yellow

## ELECTRICAL SYSTEM:

24 Volts according to current regulations  
2 x 2 multi-chamber rear LED lights  
Side/position lights of diode type  
2 rear reversing lights  
2 working lights in the centre  
2 rotor lights at the rear each side (Pin 12)  
2 pcs rear flashing lights (Pin 13)



# SPECIFICATION FOR T250K

# KEL-BERG 3-AXLE 30 M<sup>3</sup> HARDOX TIPPING TRAILER WITH SLIDING AXLE

## ELECTRICAL CONNECTORS:

1 x 14-pin plug for lighting

## PAINTING:

3 coats of base paint with zinc primer

2 component surface coating

Colour Ral: Optional

Tipping bucket Ral: Optional

## OTHER:

Red reflective plates (ECE70) at the rear

White reflectors (ECE104) side and rear contour markings

Fenders with anti-spray

1 pc toolbox

Hydraulic hoses 3100mm

## OPTIONAL ADDITIONS:

- Red reflective signs (ECE70) at the rear
- Flip Top pneumatic cover
- Plastic at the bottom and sides
- Includes 1st Flip top cover
- Includes 1 remote control for tilt/sliding axle/vibrator/rear hatch.
- When tipping, hold the button - when lowering, press 1 time (same with rear door).
- 1 vibrator model: Sveavibra 3 - controlled by remote control - Via NATO (15.000sec).

