



**MODEL**  
**T650K**

**KEL-BERG 5-AXLE 12,720 MM**  
**CONTAINER CHASSIS**

# SPECIFICATION FOR T650K

# KEL-BERG 5-AXLE 12,720 MM CONTAINER CHASSIS

## WEIGHTS & MEASURES:

Overall length	15.665 mm
Flap length	12.720 mm
Drawbar length	2.600 mm – 3.400 mm
Front overhang	770 mm
Rear overhang	1.865 mm
Coupling height	650 mm
Width	2.300 mm
Load height	1.1501mm
Axle distance	1.360mm / 6.380mm / 1.320mm / 1.320 mm

Speed	90 km/h
King pin pressure	18.000 kg
Rear axle pressure	40.000 kg
Total weight	42.000 kg
Service weight	6.800 kg

## CHASSIS:

Made with heavy duty main frame, welded steel construction with 57mm  
Drawbar type 2007 from Trailerkomponenter AB.

## CONTAINERS:

2 x 5.600 – 6.000mm container.

## WHEELS:

20pcs 265/70 R19,5 mounted on steel rim. M+S



# SPECIFICATION FOR T650K

# KEL-BERG 5-AXLE 12,720 MM CONTAINER CHASSIS

## AXLES:

5 x 9 tonne BPW axles with disc brakes  
3 + 5 axle liftable Pin 10 + 11 VBG  
Air suspension with level valve manoeuvrable front and rear.  
With ABS, EBS  
2pcs weight clocks

## BRAKING:

2-circuit compressed air system with EBS and ABS,  
Spring brake bells for the parking brake  
Duomatic red/yellow

## ELECTRICAL SYSTEM:

24 Volts according to current regulations  
2 x multi-chamber rear LED lights  
Side/position lights of diode type LED  
4 pcs rear lights LED

## ELECTRICAL CONNECTORS:

1 x 14-pin plug for lighting

## PAINTING:

3 layers of base coat with zinc primer  
2 component surface coating  
Colour: 1042 Chassis Grey



# SPECIFICATION FOR T650K

# KEL-BERG 5-AXLE 12,720 MM CONTAINER CHASSIS

## OTHER:

Red/white reflective signs (ECE70)

Fenders with anti-spray

P-light - (25,000 sek)

Aluminium rim Alcoa Durabright - (5.000kr each) = 100.000sek

Power box left side included with Hood BLACK

1x Toolbox

