

KEL-BERG[®]
TRAILERS SVERIGE AB

TEL: +46 070-536 3939
WEB: www.kelberg.se



MODEL
D560V

KEL-BERG 4-AXLE 12,500 MM
FLATBED TRAILER

SPECIFICATION FOR D560V

KEL-BERG 4-AXLE 12,500 MM FLATBED TRAILER

WEIGHTS & MEASURES:

Total length	14.170 – 15.070 mm
Flake length	12.500 mm
Draw length	1.670-2.570 mm
Front overhang	1.425 mm
Rear overhang	1.645 mm
Coupling height	650 mm
Width	2.600 mm
Load height	1.150 mm
Centre distance	1.320 mm/6.960 mm/1.810 mm

Speed	90 km/h
Front axle pressure	18.000 kg
Rear axle load	20.000 kg
Total weight	38.000 kg
Service weight	9.000 kg

CHASSIS:

Made of heavy-duty main frame, welded steel construction with 57mm VBG multi drag.

AXLES:

2 x 9ton SAF front axles with drum brakes
2 x 10 tonne SAF rear axles with drum brakes
Front and rear air suspension with level valve control.
With ABS, EBS
4:axle liftable, Operated automatically or from cab VBG pin



SPECIFICATION FOR D560V

KEL-BERG 4-AXLE 12,500 MM FLATBED TRAILER

BODY:

Heavy duty, welded, high strength steel construction

12 pairs of anchor points in the 5T kerb line

12 pairs of LAXO sleeves in edge line

8 pairs of LAXO sleeves in the centre

Container lock for 2 x 20" + 1 x 40" container.

Front trunk height 1.100mm

4 ladders

Heavy duty, welded steel construction with extra strong cross beams.

Edge line of bent steel plate.

5 doors each side 800mm, with cheek grip posts K20

Rear doors 800mm with cheek grip posts K20

28mm hardwood bottom

WHEELS:

16pcs 235/75R17.5 mounted on steel rim M+S

BRAKES:

2-circuit compressed air system with EBS and ABS,

Spring brake bells for the parking brake

Dumatick red/yellow

ELECTRICAL SYSTEM:

24 Volts according to current regulations

2 x multi-cam rear lights

Diode type side/position lights

2 x rear LED reversing lights



SPECIFICATION FOR D560V

KEL-BERG 4-AXLE 12,500 MM FLATBED TRAILER

ELECTRICAL CONNECTORS:

1 x 14-pin connector for lighting

PAINTING:

Colour: RAL 1042 or any RAL.

OTHER:

Red/white reflective signs (ECE70) at the rear

Yellow reflective (ECE104) side and rear contour markings

Fenders with anti-spray

2 stainless steel toolboxes

